

The information in this document is reviewed regularly and any necessary changes will be incorporated in the next revision.

We welcome any suggestions for improvement.

This manual is for the exclusive use of Electronic Data Devices customers and distributors. The reproduction, transmission or use of this document or its contents is not permitted without the expressed written permission of Electronic Data Devices.

© Copyright 2004 Electronic Data Devices

January 2004



Phone 432-366-8699

Fax 432-366-1106 P.O. Box 12128 Odessa, Texas 79768 USA

E-mail rkw@eddevices.com

Website www.eddevices.com

### Electronic Data Devices Contacts

Bob Williams Office 432-366-8699
President Fax 432-366-1106

 Hal Hulett
 Office 432-366-8699

 Manager
 Fax 432-366-1106

Mike Jolly Office 432-366-8699 Service Manager Fax 432-366-1106




	Turbine Flow Meters Flow Range									
Size										
Inch	MM	GPM	ВРМ	BPD	LPM	M³/D	Pulses P/Gal	Frequency Pulses P/ Sec		
3/8	10	.3 – 3	.00707	10 – 100	1.14 – 11.36	1.6 – 16	22000	1100		
1/2	13	.75 – 7.5	.0117	25 – 250	2.84 - 28.39	4 - 40	14500	1815		
3/4	19	2 - 15	.0533	68 – 515	7.57 – 56.78	11 – 80	2950	740		
7/8	22	3 – 30	.0771	100 – 1000	11.36 – 113.56	16 – 160	2350	1175		
11	25	5 – 50	.11 - 1.19	170 – 1700	18.93 – 189.27	27 – 270	900	750		
1 1/2	38	15 – 180	.35 - 4.3	515 – 6000	56.78 - 681.35	80 – 1100	325	975		
2	51	40 - 400	.9 – 9.3	1300 – 13000	151 – 1514	210 - 2100	55	365		
3	76	60 – 600	1.4 – 14.3	2100 - 21000	227 – 2271	320 - 3200	57	570		
4	102	100 – 1200	2.4 -28.5	3400 – 41000	380 - 4542	545 - 6541	30	600		
6	152	200 – 2500	4.7 – 60	6800 – 86000	757 – 9464	1090 - 13628	7	290		
8	203	350 – 3500	8.3 - 83	12000 - 120000	1325 - 13250	1907 – 19078	3	175		
10	550	550 - 5500	13 - 130	19000 - 180000	1892 - 18926	2725 -27255	1.6	147		

M	aterial Specifications
Flow Meter Body	316 S.S. or A-286 Alloy
Support Vanes	316 S.S.
Rotor	CD4MCu
Sleeve Bearings	Tungsten Carbide
Shaft	Tungsten Carbide
Thrust Ball	Ceramic
Perfo	ormance Specifications
Repeatability	Within ±0.1% of indicated flow throughout the linear flow range
Accuracy	Within $\pm 1\%$ of reading Note $3/8'' \pm 2\%$



## Pressure Drop Curves








# Grooved Turbine Flow Meters

Electronic Data Devices offers a complete line of turbine flow meters that are available with ranges from 0.3 GPM to 5500 GPM covering a wide range of measurement applications. Our turbine flow meters are manufactured to the highest quality standards, and are available with a wide range of end connections compatible with many applications. Some of the typical applications include: oilfield waterflood, production, well servicing, pipelines, mining, chemicals, food and beverage industry, and most other liquid applications.

Grooved end turbine flow meters are available in the sizes below. The maximum operating psi is determined by the victaulic clamp rating.

.37" X 1"	.75" X 2"	1" X 1"	2" X 2.5"	6" X 6"
.50" X 1"	.87" X 1"	1" X 2"	3" X 3"	8" X 8"
.75" X 1"	.87" X 2"	1.5" X 2"	4" X 4"	10" X 10"



SPECIFICATIONS:

FLOW RATE: 0.3-3 GPM PRESSURE RATING: 1000 PSI

NOTE:


3/8" TURBINE REPAIR KIT PART NUMBER: 5.037


#### FLOW METER INSTALLATION DRAWING

3/8" x 1" x 4" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.0375

P.O. Box 12128 Odessa, TX 79768







SPECIFICATIONS:

FLOW RATE: 0.3-3 GPM PRESSURE RATING: 1000 PSI

NOTE:


3/8" TURBINE REPAIR KIT PART NUMBER: 5.037

#### FLOW METER INSTALLATION DRAWING

3/8" x 1" x 4" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.0375H

P.O. Box 12128 Odessa, TX 79768





SPECIFICATIONS:

FLOW RATE: 0.75-7.5 GPM PRESSURE RATING: 1000 PSI

NOTE:


1/2" TURBINE REPAIR KIT PART NUMBER: 5.050


#### FLOW METER INSTALLATION DRAWING

1/2" x 1" x 4" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.0505

P.O. Box 12128 Odessa, TX 79768







SPECIFICATIONS:

FLOW RATE: 0.75-7.5 GPM PRESSURE RATING: 1000 PSI

NOTE:

1/2" TURBINE REPAIR KIT PART NUMBER: 5.050


#### FLOW METER INSTALLATION DRAWING

1/2" x 1" x 4" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.0505H

P.O. Box 12128 Odessa, TX 79768

Phone: 432-366-8699 Fax: 432-366-1106





SPECIFICATIONS:

FLOW RATE: 2-15 GPM PRESSURE RATING: 1000 PSI

NOTE:


3/4" TURBINE REPAIR KIT PART NUMBER: 5.075


#### FLOW METER INSTALLATION DRAWING

3/4" x 1" x 4" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.0755

P.O. Box 12128 Odessa, TX 79768







SPECIFICATIONS:

FLOW RATE: 2-15 GPM PRESSURE RATING: 1000 PSI

NOTE:

3/4" TURBINE REPAIR KIT PART NUMBER: 5.075


#### FLOW METER INSTALLATION DRAWING

3/4" x 1" x 4" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.0750H

P.O. Box 12128 Odessa, TX 79768

Phone: 432-366-8699 Fax: 432-366-1106





SPECIFICATIONS:

FLOW RATE: 2-15 GPM PRESSURE RATING: 5000 PSI

NOTE:

3/4" TURBINE REPAIR KIT PART NUMBER: 5.075


#### FLOW METER INSTALLATION DRAWING

3/4" x 2" TURBINE FLOW METER WITH 2" VICTAULIC END SEALS, PART NO. 5.07552

P.O. Box 12128 Odessa, TX 79768

Phone: 432-366-8699 Fax: 432-366-1106





SPECIFICATIONS:

FLOW RATE: 3-30 GPM PRESSURE RATING: 1000 PSI

NOTE:


7/8" TURBINE REPAIR KIT PART NUMBER: 5.087


#### FLOW METER INSTALLATION DRAWING

7/8" x 1" x 4" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.0875

P.O. Box 12128 Odessa, TX 79768







SPECIFICATIONS:

FLOW RATE: 3-30 GPM PRESSURE RATING: 1000 PSI

NOTE:


7/8" TURBINE REPAIR KIT PART NUMBER: 5.087

#### FLOW METER INSTALLATION DRAWING

7/8" x 1" x 4" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.0875H

P.O. Box 12128 Odessa, TX 79768





SPECIFICATIONS:

FLOW RATE: 3-30 GPM PRESSURE RATING: 5000 PSI

NOTE:


7/8" TURBINE REPAIR KIT PART NUMBER: 5.087

#### FLOW METER INSTALLATION DRAWING

7/8" x 2" TURBINE FLOW METER WITH 2" VICTAULIC END SEALS, PART NO. 5.08752

P.O. Box 12128 Odessa, TX 79768





SPECIFICATIONS:

FLOW RATE: 5-50 GPM
PRESSURE RATING: 1000 PSI

NOTE:


1" TURBINE REPAIR KIT PART NUMBER: 5.100


#### FLOW METER INSTALLATION DRAWING

1" x 1" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.1005R

P.O. Box 12128 Odessa, TX 79768







SPECIFICATIONS:

FLOW RATE: 5-50 GPM PRESSURE RATING: 1000 PSI

NOTE:

1" TURBINE REPAIR KIT PART NUMBER: 5.100


#### FLOW METER INSTALLATION DRAWING


1" x 1" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.1005H

P.O. Box 12128 Odessa, TX 79768

Phone: 432-366-8699 Fax: 432-366-1106







SPECIFICATIONS:

FLOW RATE: 5-50 GPM PRESSURE RATING: 1000 PSI

NOTE:

1" TURBINE REPAIR KIT PART NUMBER: 5.100


#### FLOW METER INSTALLATION DRAWING

1" x 1" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.1005C

P.O. Box 12128 Odessa, TX 79768

Phone: 432-366-8699 Fax: 432-366-1106





SPECIFICATIONS:

FLOW RATE: 5-50 GPM PRESSURE RATING: 2500 PSI

NOTE:


1" TURBINE REPAIR KIT PART NUMBER: 5.100 OR 5.101

#### FLOW METER INSTALLATION DRAWING

1" x 2" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.1025

P.O. Box 12128 Odessa, TX 79768





SPECIFICATIONS:

FLOW RATE: 15-180 GPM PRESSURE RATING: 2500 PSI

NOTE:


1.5" TURBINE REPAIR KIT PART NUMBER: 5.150

#### FLOW METER INSTALLATION DRAWING

1.5" x 2" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.1510

P.O. Box 12128 Odessa, TX 79768





SPECIFICATIONS:

FLOW RATE: 40-400 GPM PRESSURE RATING: 2500 PSI

NOTE:


2" TURBINE REPAIR KIT PART NUMBER: 5.250

#### FLOW METER INSTALLATION DRAWING

2" x 2.5" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.2520

P.O. Box 12128 Odessa, TX 79768





SPECIFICATIONS:

FLOW RATE: 60-600 GPM PRESSURE RATING: 1000 PSI

NOTE:


3" TURBINE REPAIR KIT PART NUMBER: 5.350

#### FLOW METER INSTALLATION DRAWING

3" x 3" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.3000

P.O. Box 12128 Odessa, TX 79768





SPECIFICATIONS:

FLOW RATE: 100-1200 GPM PRESSURE RATING: 1000 PSI

NOTE:


4" TURBINE REPAIR KIT PART NUMBER: 5.450

#### FLOW METER INSTALLATION DRAWING

4" x 4" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.4000-2

P.O. Box 12128 Odessa, TX 79768





SPECIFICATIONS:

FLOW RATE: 200-2500 GPM PRESSURE RATING: 800 PSI

NOTE:

6" TURBINE REPAIR KIT PART NUMBER: 5.650


#### FLOW METER INSTALLATION DRAWING

6" x 6" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.6000-2

P.O. Box 12128 Odessa, TX 79768

Phone: 432-366-8699 Fax: 432-366-1106





SPECIFICATIONS:

FLOW RATE: 350-3500 GPM PRESSURE RATING: 800 PSI

NOTE:


8" TURBINE REPAIR KIT PART NUMBER: 5.850

#### FLOW METER INSTALLATION DRAWING

8" x 8" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.8000-2

P.O. Box 12128 Odessa, TX 79768





SPECIFICATIONS:

FLOW RATE: 550-5500 GPM PRESSURE RATING: 800 PSI

NOTE:

10" TURBINE REPAIR KIT PART NUMBER: 5.1050

#### FLOW METER INSTALLATION DRAWING

10" x 10" TURBINE FLOW METER WITH VICTAULIC END SEALS, PART NO. 5.10000-3

P.O. Box 12128 Odessa, TX 79768

